

Previous ProVisionaire Design and Firmware version information

V1.1.0

[DME7 V1.10]

New Functions

- Scheduler function has been added.
- Scheduler status indication has been added to the Home screen.
- DDM (Dante Domain Manager) status indication has been added to the Home screen.
- Added the following audio components -
 - Program Ducker
 - De-Esser
 - Ping Pong Delay
- The language used for the LCD front panel display can now be changed.

[MCP1 V5.0]

New Functions

- The following devices are now supported and can be directly controlled from MCP1 -
 - MTX/MRX Series
 - DME7

- EXi8/EXo8
- TF Series
- CL Series
- QL Series
- Tio Series
- Rio Series
- RM-CR/CG/TT
- DM3/S
- DM7/C
- DSP-R10/RX/RX-EX
- CSD-R7
- DZR Series
- DXS Series

[ProVisionaire Design V1.1.0]

New Functions

- Support for MRX7-D V4.20.
- Support for Tio1608-D2 V2.00 or later.
- Support for MCP1 V5.0.
- The following functions and audio components have been added for DME7.
 - Scheduler function
 - Daylight Saving Time function
 - Program Ducker component
 - De-Esser component

- Ping Pong Delay component

Improvements

- "Rectangle" graphic has been added.
- "Duplicate Port Label-to the right/left" is now available, to copy labels for multiple selected ports simultaneously.
- "Edit Port Label" has been added to the context menu of the DME7/MRX7-D component to allow batch port renaming.
- Matrix component window size can now be expanded.

Fixed Bug

- Fixed a problem with DME7 that prevented compilation when a 16 channel AEC component was used.

V1.0.1-2

Improvements

[DME7 V1.03]

- Improved waveform integrity of the internal clock.

The firmware update will take about 15 minutes. Do not turn off the unit until the update is complete.

[PC-D Series V1.0.6]

- To accommodate changes in parts used.

To accommodate the new parts, the startup time of the PC-D/DI series will be extended, for products produced before the change.

[ProVisionaire Design V1.0.1]

- There are no new features or fixes.

V1.0.1

[ProVisionaire Design V1.0.1]

Fixed Bugs

- Fixed a bug that could cause the level meter to not work in MTX3, MTX5-D, EXi8, and Exo8 editors.
- Fixed a problem in which the settings were lost after assigning [MTX Source Select]>Input Ch Send ON to the DCP switch, sending data to the device, and then performing synchronization with "from Device".
- Fixed a problem in which the Lower Limit and Upper Limit could not be set when [MTX Level] and [MTX Send Level] were assigned in the GPI Input dialog.

[DME7 V1.02]

Fixed Bugs

- Fixed a problem in which Dante settings were not initialized when initializing the main unit, even though the "Initialize Dante Settings" setting was selected.

V1.0.0

[DME7 V1.01]

Fixed Bugs

- Fixed a problem with the processing of the Notch FBS Component.
- Fixed the remote control protocol responses for the following commands, when an SD card is not loaded in the device or when the specified file is not played.
 - event PROC:AudioPlayerTransport operation=play
 - event PROC:AudioPlayerTransport operation=stop
 - event PROC:AudioPlayerTransport operation=next
 - event PROC:AudioPlayerTransport operation=prev
- Fixed a problem in which the remote protocol command “mtrstart” could not get meter data for a Matrix Mixer component if more than 151 channels were used.
- Fixed a problem in which the following remote protocol commands could not operate files in the root directory of the SD card.
 - event PROC:AudioPlayerTransport operation=play
 - event PROC:AudioPlayerTransport operation=stop
 - event PROC:AudioPlayerTransport operation=next
 - event PROC:AudioPlayerTransport operation=prev
- Also, corrected the response message for the command "event PROCOC:AudioPlayerGetCurrentSong" to get song information while playing from the root directory.